











VS COR® Wheel 3/4






A x A	D	B	C		
					
600 x 600	460	> 490	> 295	> 300	> 292
650 x 650	460	> 490	> 295	> 300	> 292
800 x 800	600	> 640	> 412		
800 x 800	720	> 760	> 445	> 445	> 445
900 x 900	720	> 760	> 445	> 445	> 445
1050 x 1050	820	> 860	> 535	> 495	> 535

(mm)







A x A	D	B												
			X	Y	C	E	X	Y	C	E	X	Y	C	E
600 x 600	460	≥ 490	45	275	≥ 295	≥ 55	50	280	≥ 300	≥ 60	42	272	≥ 292	≥ 52
650 x 650	460	≥ 490	45	275	≥ 295	≥ 55	50	280	≥ 300	≥ 60	42	272	≥ 292	≥ 52
800 x 800	600	≥ 640	77	377	≥ 412	≥ 92								
800 x 800	720	≥ 760	50	410	≥ 445	≥ 65	50	410	≥ 445	≥ 65	50	410	≥ 445	≥ 65
900 x 900	720	≥ 760	50	410	≥ 445	≥ 65	50	410	≥ 445	≥ 65	50	410	≥ 445	≥ 65
1050 x 1050	820	≥ 860	90	500	≥ 535	≥ 105	50	460	≥ 495	≥ 65	90	500	≥ 535	≥ 105

(mm)

2



3



4

