



# DISPENSA 90°

THE MOVING STORAGE UNIT

 KESSEBÖHMER



# DISPENSA 90°

ORGANIZATION, A CLEAR  
OVERVIEW AND FAST ACCESS

— KESSEBÖHMER —

**THE HEIGHT-ADJUSTABLE TRAYS ARE HOOKED ON INDIVIDUALLY, MAKING THE DISPENSA 90° AN EXTREMELY FLEXIBLE STORAGE SOLUTION. IT GIVES USERS A LOT OF STORAGE SPACE ON A VERY SMALL FOOTPRINT.** The whole width and depth of the cabinet are used for storage. A DISPENSA stands for ample space, good organization and a clear overview. You can see clearly what's on the shelves, even on the top shelves, and reach in from both sides!

**STANDARD WITH:**



**ARENA<sup>plus</sup>**  
*Anti-slip coating*

**OPTIONAL WITH:**




**See-through sides**  
for a clear view at all levels

**Payload up to 100 kg**

**Low-profile bottom runner**





Item no.

074222 9006  
074222 9966  
074222 9846

Standard with



Damping



Suitable for SoftSTOPPro  
damped opening (see page 1-37)

**DISPENSA Vx partial pull-out fitting**  
for tall pull-out with central runner

Payload: max. 100 kg

Particularly suitable for narrow cabinets


Only supplied plastic-coated!

Colour code:

Silver grey 9006  
Ice white 9966  
Anthracite 9846

**DISPENSA Vx partial pull-out fitting**

Frame height = clear inside height	-55 mm
<b>S</b> = system height (bottom runner):	43 mm
<b>B</b> = Clear inside width:	≥ 112 mm
<b>T</b> = Clear inside depth:	≥ 500 mm
<b>L</b> = Pull-out travel:	370 mm
Payload:	≤ 100 kg



084235 9006  
084235 9966  
084235 9846

Standard with



Damping



**DISPENSA VVSx full-extension pull-out**

With extra-low runner;

for tall pull-out with central runner

Payload: max. 100 kg

Only supplied plastic-coated!

Colour code:

Silver grey 9006  
Ice white 9966  
Anthracite 9846



094235 9006  
094235 9966  
094235 9846

Standard with



Damping



Damping

**DISPENSA VVSx full-extension pull-out**

With extra-low runner;

for tall pull-out with central runner

Payload: max. 100 kg


Only supplied plastic-coated!

Colour code:

Silver grey 9006  
Ice white 9966  
Anthracite 9846

**DISPENSA VVSx low-profile, full-extension pull-out**

Frame height = clear inside height	-55 mm
<b>S</b> = system height (bottom runner):	35 mm
<b>B</b> = Clear inside width:	ab 212 mm
<b>T</b> = Clear inside depth:	≥ 500 mm
<b>L</b> = Pull-out travel:	470 mm
Payload:	≤ 100 kg



	Dimensions (mm)	Item no.
<b>Support frame DISPENSA-x</b>		
Height-adjustable	Clear inside height	
Only supplied plastic-coated!	900-1300	<b>054379 0102</b> <b>054379 9966</b> <b>054379 9846</b>
Colour code:		
Silver	0102	<b>054381 0102</b> <b>054381 9966</b> <b>054381 9846</b>
Ice white	9966	<b>054382 0102</b> <b>054382 9966</b> <b>054382 9846</b>
Anthracite	9846	<b>054384 0102</b> <b>054384 9966</b> <b>054384 9846</b>
	1200-1600	<b>054383 0102</b> <b>054383 9966</b> <b>054383 9846</b>
	1600-2000	
	1800-2200	
	1900-2300	

Standard with



Damping



### Front bracket DISPENSA-x

Set (= 2 pcs)

Only supplied plastic-coated!

Width	PU	Silver	Ice white	Anthracite
150 mm	1 set	<b>235156 0102</b>	<b>235156 9966</b>	<b>235156 9846</b>
300 mm	1 set	<b>232216 0102</b>	<b>232216 9966</b>	<b>232216 9846</b>
400 mm	1 set	<b>232217 0102</b>	<b>232217 9966</b>	<b>232217 9846</b>
450 mm	1 set	<b>232218 0102</b>	<b>232218 9966</b>	<b>232218 9846</b>
500 mm	1 set	<b>232390 0102</b>	<b>232390 9966</b>	<b>232390 9846</b>
600 mm	1 set	<b>232391 0102</b>	<b>232391 9966</b>	<b>232391 9846</b>



### Front stabilizer

Install in any position

Only supplied plastic-coated!


Colour code:

Silver 0102  
Ice white 9966  
Anthracite 9846

BxDxH

160 x 28 x 20

**004350 0102**  
**004350 9966**  
**004350 9846**



### Front panel connecting strap

Colour code:

Silver 0102  
Ice white 9966  
Anthracite 9846

BxDxH

20 x 3 x 110

**000214 0102**  
**000214 9966**  
**000214 9846**



### DISPENSA Vx SoftSTOPPpro

Damped opening

Option for DISPENSA Vx  
**partial pull-out fitting**

Colour code:

Grey 7001

**004244 7001**



### DISPENSA VVSx SoftSTOPPpro

Damped opening

Option for DISPENSA VVSx  
**full-extension fitting with SynChromatic**






Colour code:

Black 9005

**004243 9005**



## Hook-on tray DISPENSA

		ARENA pure	ARENA pure	ARENA pure	ARENA style	ARENA style
Railing		Anthracite	Silver	Silver	Anthracite	Chrome
Base panel colour		Anthracite	Ice white	Grey	Anthracite	Ice white
<b>ARENA<sup>plus</sup></b> <i>Anti-slip coating</i>						
Cabinet width	PU					
150 mm	1 piece	<b>236618 9846</b>	<b>236621 0102</b>	<b>236624 0102</b>	<b>260176 9846</b>	<b>260179 0005</b>
150 mm	2 pieces	<b>236619 9846</b>	<b>236622 0102</b>	<b>236625 0102</b>	<b>260177 9846</b>	<b>260180 0005</b>
150 mm	3 pieces	<b>236620 9846</b>	<b>236623 0102</b>	<b>236626 0102</b>	<b>260178 9846</b>	<b>260181 0005</b>
300 mm	1 piece	<b>236463 9846</b>	<b>236478 0102</b>	<b>236493 0102</b>	<b>260118 9846</b>	<b>231432 0005</b>
300 mm	2 pieces	<b>236464 9846</b>	<b>236479 0102</b>	<b>236494 0102</b>	<b>260119 9846</b>	<b>260133 0005</b>
300 mm	3 pieces	<b>236465 9846</b>	<b>236480 0102</b>	<b>236495 0102</b>	<b>260120 9846</b>	<b>260134 0005</b>
400 mm	1 piece	<b>236466 9846</b>	<b>236481 0102</b>	<b>236496 0102</b>	<b>260121 9846</b>	<b>231433 0005</b>
400 mm	2 pieces	<b>236467 9846</b>	<b>236482 0102</b>	<b>236497 0102</b>	<b>260122 9846</b>	<b>260135 0005</b>
400 mm	3 pieces	<b>236468 9846</b>	<b>236483 0102</b>	<b>236498 0102</b>	<b>260123 9846</b>	<b>260136 0005</b>
450 mm	1 piece	<b>236469 9846</b>	<b>236484 0102</b>	<b>236499 0102</b>	<b>260124 9846</b>	<b>260137 0005</b>
450 mm	2 pieces	<b>236470 9846</b>	<b>236485 0102</b>	<b>236500 0102</b>	<b>260125 9846</b>	<b>260138 0005</b>
450 mm	3 pieces	<b>236471 9846</b>	<b>236486 0102</b>	<b>236501 0102</b>	<b>260126 9846</b>	<b>260139 0005</b>
500 mm	1 piece	<b>236472 9846</b>	<b>236487 0102</b>	<b>236502 0102</b>	<b>260127 9846</b>	<b>260140 0005</b>
500 mm	2 pieces	<b>236473 9846</b>	<b>236488 0102</b>	<b>236503 0102</b>	<b>260128 9846</b>	<b>260141 0005</b>
500 mm	3 pieces	<b>236474 9846</b>	<b>236489 0102</b>	<b>236504 0102</b>	<b>260129 9846</b>	<b>260142 0005</b>
600 mm	1 piece	<b>236475 9846</b>	<b>236490 0102</b>	<b>236505 0102</b>	<b>260130 9846</b>	<b>260143 0005</b>
600 mm	2 pieces	<b>236476 9846</b>	<b>236491 0102</b>	<b>236506 0102</b>	<b>260131 9846</b>	<b>260144 0005</b>
600 mm	3 pieces	<b>236477 9846</b>	<b>236492 0102</b>	<b>236507 0102</b>	<b>260132 9846</b>	<b>260145 0005</b>

Item no.      Dimensions (mm)

BxDxH

**235227 0102**      465 x 85 x 33,5

**235227 9966**

**235227 9846**

Space:

462 x 79

### Spice rack

For up to 12 spice jars







Colour code:

Silver              0102

Ice white          9966

Anthracite        9846



ARENA classic	ARENA classic	ARENA classic	ARENA classic	Metal basket	Metal basket	Railing
Chrome	Chrome	Silver	Silver	Chrome	Silver	Base panel colour
Ice white	Grey	Ice white	Grey			
						Cabinet width
260182 0005	260185 0005	260182 0102	260185 0102	-	-	150 mm
260183 0005	260186 0005	260183 0102	260186 0102	-	-	150 mm
260184 0005	260187 0005	260184 0102	260187 0102	-	-	150 mm
260146 0005	260161 0005	260146 0102	260161 0102	217781 0005	217781 0102	300 mm
260147 0005	260162 0005	260147 0102	260162 0102	001966 0005	001966 0102	300 mm
260148 0005	260163 0005	260148 0102	260163 0102	235019 0005	235019 0102	300 mm
260149 0005	260164 0005	260149 0102	260164 0102	231573 0005	231573 0102	400 mm
260150 0005	260165 0005	260150 0102	260165 0102	001967 0005	001967 0102	400 mm
260151 0005	260166 0005	260151 0102	260166 0102	235020 0005	235020 0102	400 mm
260152 0005	260167 0005	260152 0102	260167 0102	235021 0005	235021 0102	450 mm
260153 0005	260168 0005	260153 0102	260168 0102	001938 0005	001938 0102	450 mm
260154 0005	260169 0005	260154 0102	260169 0102	235022 0005	235022 0102	450 mm
260155 0005	260170 0005	260155 0102	260170 0102	235023 0005	235023 0102	500 mm
260156 0005	260171 0005	260156 0102	260171 0102	001939 0005	001939 0102	500 mm
260157 0005	260172 0005	260157 0102	260172 0102	235024 0005	235024 0102	500 mm
260158 0005	260173 0005	260158 0102	260173 0102	235025 0005	235025 0102	600 mm
260159 0005	260174 0005	260159 0102	260174 0102	001980 0005	001980 0102	600 mm
260160 0005	260175 0005	260160 0102	260175 0102	235026 0005	265026 0102	600 mm

	Dimensions (mm)	Item no.
<b>DISPENSA Youbox<sub>x</sub>-Set 1</b>		
consisting of:	BxDxH	
2 boxes (1.0 litres)	115 x 150 x 95	
1 box (2.1 litres)	115 x 300 x 95	
2 boxes (2.0 litres)	115 x 150 x 195	
1 knife holder		005273 0102
2 lids		005273 9966
2 traverse rails		005273 9846
Lid and dividers in White		
Colour code:		
Silver	0102	
Ice white	9966	
Anthracite	9846	



	Dimensions (mm)	Item no.
<b>DISPENSA Youbox<sub>x</sub>-Set 3</b>		
consisting of:	BxDxH	
2 boxes (1.0 litres)	115 x 150 x 95	
2 boxes (2.1 litres)	115 x 300 x 95	
2 lids		
1 dividers, large		005275 0102
2 traverse rails		005275 9966
		005275 9846
Lid and dividers in White		
Colour code:		
Silver	0102	
Ice white	9966	
Anthracite	9846	





The frame is positioned on the front at the top.

And pushed in at the bottom – click!


The frame is clicked into position on the runner – click – and the whole fitting is pushed into the cabinet. Done!

# A couple of clicks

THE INSTALLATION IS FINISHED








# Adjustment is quick and easy

WITHOUT SPECIAL TOOLS



**A STANDARD PZ2 SCREWDRIVER AND TWO SETTING SCREWS ON THE FRAME TOP AND BOTTOM SIMPLIFY ADJUSTMENT.** Turning the screws has an immediately visible effect. This makes adjustment quicker and easier – and also much more precise. And all it takes is a screwdriver!






Assembly with predrilled cuphole so that front sensor is perfectly integrated into the carcaset.

Opening gap 44 mm



Install using adapter to take the sensor. Ideal for fronts with grip recesses.



### eTouch+ for DISPENSA VVS-x

Electrically assisted: 44 mm opening gap  
Suitable for cabinet widths from 300 mm – can be retrofitted!  
Set (consisting of motor, front sensor and adapter for front sensor assembly)

With EU-DIN plug  
With GB/UK plug  
With US/JP plug  
With AUS plug

Item no.  
**002440 7001**  
**002441 7001**  
**002442 7001**  
**002443 7001**

Colour code:  
Grey 7001

Identical to eTouch+ set for CONVOY Centro




### Assembly front sensor

Without adapter	Predrilled cuphole / insert (assembly aid for predrilled cuphole included)
With adapter	Screw in place / insert (3 pieces of wood screws 3.5 x 12 included)
Power supply	Battery CR 2032 3V (supplied)

### Motor

Mains connection	Hollow plug 2.5/5.5 mm; 1.5 m cable Black
Voltage	24 VDC, ≥ 1,5 A
Rated power	30 Watt
Standby power	0.5 Watt
Dimensions	157 x 45 x 47 mm (BxDxH)
Weight	0.2 kg
Max. pull-out weight	CONVOY Premio: 120 kg
Housing colour	Grey (7001)
Product compatibility	CONVOY Premio with SoftSTOPPpro and SoftSTOPPplus
Assembly materials (supplied)	3 wood screws 4 x 16
Motor position	DISPENSA: beside the runner on the right
Electrically assisted	Opening gap 44 mm






Assembly with predrilled cuphole so that front sensor is perfectly integrated into the carcass.



Install using adapter to take the sensor. Ideal for fronts with grip recesses.



#### Item no.


#### eTouch for DISPENSA

Suitable for cabinet widths from 300 mm – can be retrofitted! Set (consisting of motor, front sensor and adapter for front sensor assembly)

Identical to set for CONVOY Premio

With EU-DIN plug	<b>084246 7930</b>
With GB/UK plug	<b>084247 7930</b>
With US/JP plug	<b>084248 7930</b>
With AUS plug	<b>084249 7930</b>

Colour code:  
Grey 7930



#### Assembly front sensor

Without adapter	Predrilled cuphole / insert (assembly aid supplied)
With adapter	Screw in place / insert
Power supply	Battery CR 2032 3V (supplied)

#### Motor

Mains connection	Euro 8 as per EN 60320/C8; 1.5 m cable Black
Voltage	110-240 V AC, 50/60 Hz, ≥ 2 A
Rated power	60 Watt
Standby power	<4 Watt
Dimensions	333 x 68 x 77 mm (BxDxH)
Weight	1.6 kg
Max. pull-out weight	CONVOY Premio: 120 kg
Housing colour	Grey (7930)
Product compatibility	CONVOY Premio with SoftSTOPPpro and SoftSTOPPplus
Assembly materials (supplied)	4 wood screws 4.5 x 75, assembly aid
Motor position	DISPENSA: beside the runner on the right
Electrically assisted	Opening

