

# LeMans II

OPTIMAL FUNCTIONALITY FOR  
FASCINATING EASE OF USE

 KESSEBÖHMER

LeMans offers up to

70%

**more storage area**  
than a base unit with pull-out  
drawers next to the blind corner!



reddot design award



PLUS X AWARD®



German  
Design Award

# WHY USING THE CORNER IS ALWAYS BETTER THAN LEAVING A BLIND CORNER

In addition, the clever design of the trays is an ideal fit for pots and pans, so that the actual, usable space increases by up to 70 %.

Customer demo: put as many pots and pans into a drawer/LeMans tray as will fit comfortably side-by-side (do not stack). Note: contents can even extend beyond the railing of a LeMans adding to space savings and flexibility. Use of the available space is clearly better and more efficient in a LeMans.

Compare a LeMans tray with a drawer



Example

1x saucepan Ø 25 cm  
 1x pan Ø 25 cm  
 2x saucepan Ø 15 cm  
 2x pans Ø 15 cm

1x saucepan Ø 25 cm  
 1x pan Ø 25 cm

Use of available space  
 Benefit

1,688 cm<sup>2</sup>  
 170 %

981 cm<sup>2</sup>  
 100 %

→ Up to 70 % more storage space in a LeMans





UP TO  
**50KG** LOAD  
 CAPACITY

LeMans is an extremely robust storage system with a load capacity of up to 25kg per tray. Damped self-closing means whisper-quiet closing even fully loaded. The patented 4-arm articulation system swings the trays out of the cabinet in a smooth and fluid movement. Users select tray heights to suit their needs and cut out wasted space. With optimal access at all times, LeMans makes perfect use of corner space!



25kg =  



# LeMans II

CONTINUING A LONG TRADITION



THE LE MANS RACETRACK AND THE LeMans INTELLIGENT CORNER UNIT SOLUTION FROM KESSEBÖHMER ARE BOTH INSTANTLY RECOGNIZABLE FOR THEIR SHAPE AND FUNCTIONALITY. ON THE RACETRACK AND IN THE KITCHEN, EFFICIENCY, INNOVATION AND EMOTION ARE IN THE FOREGROUND.

LeMans II is the second generation of a successful product – with new, improved features and innovations. Kesseböhmer’s intelligent corner unit system is once again setting standards with new engineering quality and fascinating movement sequences!

## PRODUCT FEATURES

- Door opening angle of just 85° allows trays to swing completely out
- Max. payload per tray is 25 kg
- Height-adjustable trays
- ClickFixx system for fast, errorfree, toolless assembly
- Damped self-closing (option)
- 70 % more storage area than a base unit with pull-out drawers next to the blind corner!

The trays move smoothly and almost effortlessly out of the unit ...




... so that users have a clear view of all the contents and optimal access.




LeMans II scores high on efficiency and benefits.




Fig.: Dimensions in mm




Example: swings out to the right  
(left cabinet - 40 cm door)



Example: swings out to the right  
(left cabinet - 45 cm door)



Example: swings out to the right  
(left cabinet - 50 cm door)



Example: swings out to the right  
(left cabinet - 60 cm door)

### Hook-on tray LeMans II

PU 1 set (= 2 trays and fixings) without axle; max. load: 25 kg/tray


	ARENA pure	ARENA pure
Railing	Anthracite	Silver
Base panel colour	Anthracite	Icewhite

**ARENAplus**  
Anti-slip coating


**SOFTSTOPPLUS**



Cabinet width	swing out	SoftSTOP plus		
400 mm	right	-	<b>2603909846</b>	<b>2603800102</b>
	left	-	<b>2603919846</b>	<b>2603810102</b>
450 mm	right	-	<b>2603929846</b>	<b>2603820102</b>
	left	-	<b>2603939846</b>	<b>2603830102</b>
500 mm	right	-	<b>2603949846</b>	<b>2603840102</b>
	left	-	<b>2603959846</b>	<b>2603850102</b>
600 mm	right	-	<b>2603969846</b>	<b>2603860102</b>
	left	-	<b>2603979846</b>	<b>2603870102</b>
Cabinet width	swing out	SoftSTOP plus		
400 mm	right	2 pieces	<b>2604909846</b>	<b>2604800102</b>
	left	2 pieces	<b>2604919846</b>	<b>2604810102</b>
450 mm	right	2 pieces	<b>2604929846</b>	<b>2604820102</b>
	left	2 pieces	<b>2604939846</b>	<b>2604830102</b>
500 mm	right	2 pieces	<b>2604949846</b>	<b>2604840102</b>
	left	2 pieces	<b>2604959846</b>	<b>2604850102</b>
600 mm	right	2 pieces	<b>2604969846</b>	<b>2604860102</b>
	left	2 pieces	<b>2604979846</b>	<b>2604870102</b>



	Door width			
mm	400	450	500	600
A	≥764	≥800	≥910	≥960
B	≥500	≥500	≥500	≥500
C	361-368	411-418	461-468	561-568
D	16-19	16-19	16-19	16-19
E	≥60	≥60	≥60	≥60
F	≤400	≤450	≤500	≤600
G	≤65	≤65	≤65	≤65
H	600-900	600-900	600-900	600-900
J	≤25	≤25	≤25	≤25
K	≤70	≤70	≤70	≤70

ARENA pure	ARENA style	ARENA style	ARENA classic	ARENA classic	ARENA classic	ARENA classic
Silver	Anthracite	Chrome	Chrome	Chrome	Silver	Silver
Grey	Anthracite	Icewhite	Icewhite	Grey	Icewhite	Grey
						
2603700102	235008 9846	235083 0005	235010 0005	047918 0005	235010 0102	047918 0102
2603710102	235009 9846	235084 0005	235011 0005	047919 0005	235011 0102	047919 0102
2603720102	234621 9846	233045 0005	235012 0005	047920 0005	235012 0102	047920 0102
2603730102	234622 9846	233046 0005	235013 0005	047921 0005	235013 0102	047921 0102
2603740102	234623 9846	233047 0005	235014 0005	047922 0005	235014 0102	047922 0102
2603750102	234624 9846	233048 0005	235015 0005	047923 0005	235015 0102	047923 0102
2603760102	234625 9846	233049 0005	235016 0005	047924 0005	235016 0102	047924 0102
2603770102	234626 9846	233050 0005	235017 0005	047925 0005	235017 0102	047925 0102

2604700102	260360 9846	260320 0005	260350 0005	260340 0005	260350 0102	260340 0102
2604710102	260361 9846	260321 0005	260351 0005	260341 0005	260351 0102	260341 0102
2604720102	260362 9846	260322 0005	260352 0005	260342 0005	260352 0102	260342 0102
2604730102	260363 9846	260323 0005	260353 0005	260343 0005	260353 0102	260343 0102
2604740102	260364 9846	260324 0005	260354 0005	260344 0005	260354 0102	260344 0102
2604750102	260365 9846	260325 0005	260355 0005	260345 0005	260355 0102	260345 0102
2604760102	260366 9846	260326 0005	260356 0005	260346 0005	260356 0102	260346 0102
2604770102	260367 9846	260327 0005	260357 0005	260347 0005	260357 0102	260347 0102

#### Axle, height-adjustable

with 2 premounted bearing sleeves

1 cabinet-side M profile

1 top connector

1 axle bearing bottom

For clear

inside height	Ice white	Silver	Anthracite
600-750 mm	007944 9966	007944 0102	007944 9846
650-800 mm	007958 9966	007958 0102	007958 9846
720-900 mm	007945 9966	007945 0102	007945 9846



#### SoftSTOPPlus damping (set of 2)

	White	Grey	Anthracite
right swing out	234641 9010	234641 7930	234641 7500
left swing out	234642 9010	234642 7930	234642 7500



# LeMans II

FOR EFFECTIVE USE OF  
SPACE IN A CORNER  
HIGHBOARD, LOOK AT  
A LeMans SOLUTION











Fig.: Dimensions in mm




Example: swings out to the right  
(left cabinet - 40 cm door)



Example: swings out to the right  
(left cabinet - 45 cm door)





Example: swings out to the right  
(left cabinet - 50 cm door)




Example: swings out to the right  
(left cabinet - 60 cm door)

### Hook-on tray LeMans II




PU 1 set (= 2 trays and fixings) without axle; max. load: 25 kg/tray  
2 sets required per axle/cabinet!

			ARENA pure	ARENA pure
			Anthracite	Silver
Railing			Anthracite	Icewhite
Base panel colour			Anthracite	Icewhite
				
<b>ARENAplus</b>	<b>SOFTSTOPPLUS</b>			
<i>Anti-slip coating</i>				
Cabinet width	swing out	SoftSTOP plus		
400 mm	right	-	<b>2603909846</b>	<b>2603800102</b>
	left	-	<b>2603919846</b>	<b>2603810102</b>
450 mm	right	-	<b>2603929846</b>	<b>2603820102</b>
	left	-	<b>2603939846</b>	<b>2603830102</b>
500 mm	right	-	<b>2603949846</b>	<b>2603840102</b>
	left	-	<b>2603959846</b>	<b>2603850102</b>
600 mm	right	-	<b>2603969846</b>	<b>2603860102</b>
	left	-	<b>2603979846</b>	<b>2603870102</b>
Cabinet width	swing out	SoftSTOP plus		
400 mm	right	2 pieces	<b>2604909846</b>	<b>2604800102</b>
	left	2 pieces	<b>2604919846</b>	<b>2604810102</b>
450 mm	right	2 pieces	<b>2604929846</b>	<b>2604820102</b>
	left	2 pieces	<b>2604939846</b>	<b>2604830102</b>
500 mm	right	2 pieces	<b>2604949846</b>	<b>2604840102</b>
	left	2 pieces	<b>2604959846</b>	<b>2604850102</b>
600 mm	right	2 pieces	<b>2604969846</b>	<b>2604860102</b>
	left	2 pieces	<b>2604979846</b>	<b>2604870102</b>



	Door width				Door width				
mm	400	450	500	600	mm	400	450	500	600
A	≥764	≥800	≥910	≥960	G	≤65	≤65	≤65	≤65
B	≥500	≥500	≥500	≥500	H	≥1265	≥1265	≥1265	≥1265
C	361-368	411-418	461-468	561-568	J	≤25	≤25	≤25	≤25
D	16-19	16-19	16-19	16-19	K	≤70	≤70	≤70	≤70
F	≤400	≤450	≤500	≤600					

ARENA pure	ARENA style	ARENA style	ARENA classic	ARENA classic	ARENA classic	ARENA classic
Silver	Anthracite	Chrome	Chrome	Chrome	Silver	Silver
Grey	Anthracite	Icewhite	Icewhite	Grey	Icewhite	Grey



2603700102	235008 9846	235083 0005	235010 0005	047918 0005	235010 0102	047918 0102
2603710102	235009 9846	235084 0005	235011 0005	047919 0005	235011 0102	047919 0102
2603720102	234621 9846	233045 0005	235012 0005	047920 0005	235012 0102	047920 0102
2603730102	234622 9846	233046 0005	235013 0005	047921 0005	235013 0102	047921 0102
2603740102	234623 9846	233047 0005	235014 0005	047922 0005	235014 0102	047922 0102
2603750102	234624 9846	233048 0005	235015 0005	047923 0005	235015 0102	047923 0102
2603760102	234625 9846	233049 0005	235016 0005	047924 0005	235016 0102	047924 0102
2603770102	234626 9846	233050 0005	235017 0005	047925 0005	235017 0102	047925 0102

2604700102	260360 9846	260320 0005	260350 0005	260340 0005	260350 0102	260340 0102
2604710102	260361 9846	260321 0005	260351 0005	260341 0005	260351 0102	260341 0102
2604720102	260362 9846	260322 0005	260352 0005	260342 0005	260352 0102	260342 0102
2604730102	260363 9846	260323 0005	260353 0005	260343 0005	260353 0102	260343 0102
2604740102	260364 9846	260324 0005	260354 0005	260344 0005	260354 0102	260344 0102
2604750102	260365 9846	260325 0005	260355 0005	260345 0005	260355 0102	260345 0102
2604760102	260366 9846	260326 0005	260356 0005	260346 0005	260356 0102	260346 0102
2604770102	260367 9846	260327 0005	260357 0005	260347 0005	260357 0102	260347 0102

#### Axle, 1250 mm

with 4 premounted bearing sleeves

2 cabinet-side M profile

2 bearing brackets

1 locking clip

1 connecting clip

1 bottom bearing

For clear

inside height

min. 1.265 mm

Ice white


Silver

Anthracite

007943 9966

007943 0102

007943 9846



#### SoftSTOPPlus damping (set of 2)

2 sets required per axle/cabinet!

White

Grey

Anthracite

right swing out

234641 9010

234641 7930

234641 7500

left swing out

234642 9010

234642 7930

234642 7500



